



next generation led

info@nextgenerationled.be  
www.nextgenerationled.be  
Tel + 32 53 71 09 42

## MR16 RGB

### Properties

- Lifespan L70 %: > 25.000 hours
- Perfect dimming with bluetooth
- Certification: CE, EMC, ETL, FCC, cETL
- Die-cast aluminum body
- CREE XBD LED chip
- Flicker free to reduce the eyestrain
- Environment friendly : no mercury or toxic gasses
- Immediate start regardless of temperature or humidity
- Equal light distribution and high uniformity
- Warranty: 3 years

### Application

Outdoor lighting, landscape lighting, commercial lighting, etc ...

4.5W



MR16  
12V AC/DC

CREE inside  
For Outdoor



Outdoor  
and indoor


Bluetooth  
dimnable

IP44

### Specifications

RGB MR16	
Power	4.5W
Luminous intensity	230lm
Beam Angle	30° 45° 60°
Input voltage	12 V AC/DC
Color temperature	RGB+Mixed white
Color rendering index	CRI > 80
THD	<15%
Power factor	>0.9
Size	50mm x 61mm
Operating temp.	-20°C ~ +45°C

Updated: February 2019





next generation led

## MR16 RGB

REFERENCE	WATT	LUMEN	COLOR	BEAM ANGLE	DIMMABLE
122-0100	4.5 W	230 lm	RGB	30 °	Yes
122-0101	4.5 W	230 lm	RGB	45 °	Yes
122-0102	4.5 W	230 lm	RGB	60 °	Yes

